

19mm 6mm WELD FILLET GAGE 16mm WELL . 25mm WELD FIL 14mm WELD FILLE WELD 9mm 3mm 12mm Amm 10mm

WELDERS AIDS

DYNAWELD PROVIDES A VARIED SELECTION OF WELDING AIDS AND TOOLS FROM TOP INDUSTRY BRANDS LIKE BOSSWELD, WUREX, SHERWIN, MOLYTEC AND ABRASADISC THAT ARE NOT ONLY USER FRIENDLY, EFFECTIVE AND ECONOMICAL BUT ALSO BOAST A LONG SHELF-LIFE. OUR EXTENSIVE RANGE INCLUDES CHALK AND MARKING PRODUCTS, ANTI SPATTER, FLUXES, SURFACE TREATMENT CHEMICALS AND ACCESSORIES, FLAW DETECTION, WELDERS TOOLS, CLAMPS AND MAGNETS, CLAMPING PLIERS AND ABRASIVE FLAP DISCS.

FLUXES

UNIVERSAL COPPER & BRASS FLUX

Universal fine granular flux that adheres well to the welding and brazing rod. For use in braze welding and brazing of copper and steel. Also used for braze welding on cast iron and fusion welding of copper, brass and bronze.

FEATURES

- Fine granular flux
- High level of adherence
- Suitable for a large range of applications

| ТҮРЕ | PART NO. |
|--------------------------------|------------|
| Copper & Brass Flux 350g Jar | FLUX303350 |
| Copper & Brass Flux 5kg Bottle | FLUX3035 |

SILVER BRAZING FLUX

Fine paste with excellent suspension and easy to spread. For low temperature silver brazing, provides quality joints for a wide variety of applications.

PART NO.

FLUX602250

FLUX602500

FEATURES

TYPE

Fine paste

Excellent suspension

Silver Brazing Flux 250g Jar

Silver Brazing Flux 500g Jar

APPLICATIONS

APPLICATIONS

Braze welding of cast iron

Fusion welding of brass and bronze

Carbon steel Copper and brass



WARNING

EZI-WELD

HER BLOCK N

3 PALINE

SOFT SOLDERING FLUX

Specially formulated for soldering stainless steel, monel and nickel and can also be used for copper, brass and tin. This flux can be used on most metals (excluding aluminium, magnesium and die cast). Commonly used in radiator repairs, plumbing & industry.

FEATURES

Liquid, not a paste

Easy to use

- Plumbing industry
- Electrical industry
- Automotive industry



| ТҮРЕ | PART NO. |
|---------------------|------------|
| Soft Soldering Flux | FLUX801250 |



FLUXES

202 ALUMINIUM FLUX

Fine granular flux specially formulated for brazing with aluminium and aluminium alloys.

FEATURES

- Fine granular flux
- High level of adherence
- Suitable for a large range of applications

| ТҮРЕ | PART NO. |
|---------------------------------|------------|
| Aluminium Brazing Flux 300g Jar | FLUX203300 |

APPLICATIONS

Braze welding of aluminium and aluminium alloys

| | NSOW) | |
|-------|------------|---|
| E III | VELD (ALIO | 8 |
| 9 | 203 | |
| | 0 9 NET | |
| | | W |

ANTI SPATTER

BOSSWELD BLUE WATER BASED ANTI SPATTER

Water based, silicon free preparation used to prevent weld spatter sticking to MIG tips, nozzles and work pieces. Non toxic and non flammable.

FEATURES

- Most economical way to anti spatter
- Decantable into 1lt sprayers
- Environmentally friendly
- Paintable

| ТҮРЕ | PART NO. |
|-----------------------------------|----------|
| Blue 5L Water Based Anti Spatter | 800049 |
| Blue 20L Water Based Anti spatter | 800050 |



WUREX AEROSOL ANTI SPATTER SPRAY

This silicon free spatter release coating is a colourless film which stops weld spatter from sticking to welding equipment, work pieces and fixtures. Easily removed before painting or finishing.

- Easy to apply aerosol
- CO2 propellant
- Paintable

| ТҮРЕ | PART NO. |
|---------------------------------|----------|
| Aerosol Anti Spatter Spray 500g | 800040 |



NOZZLE DIP GEL

BOSSWELD NOZZLE DIP GEL

Non toxic water based dipping gel for the prevention of weld spatter adherence to MIG torch parts. This silicon free compound is used to extend the life of nozzles and tips.

FEATURES

- Extends tip and nozzle life
- Reduces spatter from sticking to nozzle

| ТҮРЕ | PART NO. |
|----------------------|----------|
| Tip Dip Gel 400g Tin | 800055 |



SURFACE TREATMENT CHEMICALS

WUREX PP12 STAINLESS STEEL PICKLING PASTE

Wurex PP12 Stainless Steel Pickling Paste contains hydrofluoric and nitric acid which aides in removing the black welding scale/discolouration/corrosion on stainless steel. The welding seams need to be cleaned properly in order to stop corrosion.

FEATURES

APPLICATIONS

- Long moisture phase
- Shakes up into a thick gel
- Fast acting

Removes annealing colours and corrosion of products on lower

stainless steel grades (e.g. 304)

| ТҮРЕ | PART NO. |
|-------------------------------------------|----------|
| PP12 Stainless Steel Pickling Paster 1Kg | 851201 |
| PP12 Stainless Steel Pickling Paster 2Kg | 851202 |
| PP12 Stainless Steel Pickling Paster 12Kg | 851212 |
| | |



WUREX PP14 STAINLESS STEEL PICKLING PASTE

Wurex PP14 Stainless Steel Pickling Paste contains hydrofluoric and nitric acid which aides in removing the black welding scale/discolouration/corrosion on stainless steel. The welding seams need to be cleaned properly in order to stop corrosion.

FEATURES

- Long moisture phase
- Shakes up into a thick gel
- Fast acting

| ТҮРЕ | PART NO. |
|-------------------------------------------|----------|
| PP14 Stainless Steel Pickling Paster 1Kg | 851401 |
| PP14 Stainless Steel Pickling Paster 2Kg | 851402 |
| PP14 Stainless Steel Pickling Paster 12Kg | 851412 |
| | |

APPLICATIONS

Removes annealing colours and corrosion of products on higher stainless steel grades





SURFACE TREATMENT CHEMICALS

WUREX PS22 STAINLESS STEEL PICKLING SPRAY

The Wurex PS22 Stainless Steel Pickling Spray contains hydrofluoric and nitric acid which helps remove the black welding scale on stainless steel and other contaminants/oxides giving a uniform finish on the whole unit.

FEATURES

- Long moisture phase
- Superior adhesion properties resulting in a uniform finish
- Minimal noxious smells during use and reaction time

| ТҮРЕ | PART NO. |
|------------------------------------------|----------|
| PS22 Stainless Steel Pickling Spray 20Kg | 852220 |

APPLICATIONS

- Suitable for lower grades of stainless steel (e.g. 304)
- Removes annealing colours, welding scale and corrosion of products on all stainless steel
 grades



WUREX PS24 STAINLESS STEEL PICKLING SPRAY

A higher strength pickling spray for a faster reaction time. Used on all stainless steel grades to remove annealing colours, welding scale and corrosion. Extended moisture phase allows pickling spray to remain effective longer.

FEATURES

- Long moisture phase
- Superior adhesion properties resulting in a uniform finish

APPLICATIONS

- Removes annealing colours, welding scale and corrosion of products on all stainless steel grades
- Suitable for higher grades of stainless steel

| ТҮРЕ | PART NO. |
|------------------------------------------|----------|
| PS24 Stainless Steel Pickling Spray 20Kg | 852420 |



WUREX PB15 PICKLING BATH CONCENTRATE

Contains hydrofluoric and nitric acid. Most efficient method to remove the black welding scale on stainless steel and other contaminants/corrosion giving a uniform finish on the whole structure.

FEATURES

- Extremely cost effective as the concentrate is diluted with water 1:1
- Doesn't contain hydrochloric or sulphuric acids

| ТҮРЕ | PART NO. |
|-------------------------------------|----------|
| PB15 Pickling Bath Concentrate 30Kg | 851530 |

APPLICATIONS

Removes the black welding scale on stainless steel and other contaminants on all grades of stainless steel



SURFACE TREATMENT CHEMICALS

WUREX SC41 SURFACE CLEANER

Wurex SC41 Surface Cleaner contains phosphoric acid which removes oxides (surface rust) and other contaminants on stainless steel without affecting the passive layer. It does NOT remove the welding scale or heat discolouration (pickling only).

FEATURES

Removes the corrosion from stainless steel

APPLICATIONS

- Gives the best optical surface finish
- Rejuvenates tired old structures making them look like new
- Viscous liquid with long moisture phase

| ТҮРЕ | PART NO. |
|---------------------------|----------|
| SC41 Surface Cleaner 2Kg | 854102 |
| SC41 Surface Cleaner 20Kg | 854120 |





WUNC

WUREX UC42 UNIVERSAL CLEANER

The Wurex UC42 Universal Cleaner removes oxides (surface rust) and other contaminants on a wide range of materials such as stainless steel, aluminium, brass, copper, chrome, etc. visibly brightening and cleaning.

FEATURES

- Effective on surface rust for stainless stee
- Does not affect the passive layer
- Removes oxides on a wide range of materials

| ТҮРЕ | PART NO. |
|-----------------------------|----------|
| UC42 Universal Cleaner 1Kg | 854201 |
| UC42 Universal Cleaner 20Kg | 854220 |

APPLICATIONS

Can be used in a household environment Especially good for balustrading and outdoor appliances






WUREX PL31 PASSIVATING LIQUID

Contains nitric acid. Quickly restores the passive layer that is removed by pickling, bead blasting or any form of abrasive work and ensures a corrosion resistant surface. Strongly recommended for any structure close to the coast or for the petro-chemical, pharmaceutical and food & beverage industry.

- **APPLICATIONS** Can be used on any
- Ensures a corrosion resistant surface Rebuilds passive oxide layer within 30 minutes

| ТҮРЕ | PART NO. |
|-------------------------------------|----------|
| PL32 Passivating Paste & Spray 2Kg | 853202 |
| PL32 Passivating Paste & Spray 10KG | 853210 |
| PL32 Passivating Paste & Spray 20KG | 853220 |









SURFACE TREATMENT CHEMICALS

WUREX ELO6 ELECTROLYTIC LIQUID

Cleaning liquid to electro-chemically remove annealing colours, oxidisation and light scale from stainless steel welding seams without damaging the surface structure of the metal.

FEATURES

- Cleans and polishes
- Fast acting
- Removes oxidisation

| ТҮРЕ | PART NO. |
|------------------------------------|----------|
| EL06 Electrolytic Liquid - 5 litre | 850605 |

APPLICATIONS

For use with all brands of electrolytic cleaners



WUREX AL26 ALUMINIUM PICKLING LIQUID

Contains phosphoric acid which aids in removing oxides, annealing colours and contaminants from aluminium. Gives an even surface finish ideal for painting or powder-coating. Can be brushed on, sprayed on or used as a bath. Test before use as different grades of aluminium react differently.

FEATURES

- Gives an even surface finish
- Ideal for painting/coating
- Dilute with water

| ТҮРЕ | PART NO. |
|---------------------------------------|----------|
| AL26 Alum Pickling Spray & Fluid 2Kg | 852602 |
| AL26 Alum Pickling Spray & Fluid 10Kg | 852610 |
| AL26 Alum Pickling Spray & Fluid 20Kg | 852620 |
| | |

APPLICATIONS

- Can be brushed or sprayed on
- Can be used as a bath
- Removes black/white residue on welding seams
- Ideal to prime surface for painting/coating





WUREX ACID RESISTANT BRUSH

Acid resistant brushes with a long life cycle (if rinsed after use): 1" and 1.5".

FEATURES

Brush maintains shape if rinsed after use ensuring a more precise application over time

| ТҮРЕ | PART NO. |
|----------------------------------------------|----------|
| Acid Resistant Brush 25mm for Wurex SS Paste | 851002 |
| Acid Resistant Brush 35mm for Wurex SS Paste | 851003 |
| Pickling Paste Brush - Plastic Handle | PBRUSH |



SURFACE TREATMENT APPLICATION TOOLS

WUREX ACID RESISTANT PUMP & LANCE

Designed for pickling sprays & surface cleaners. Long life cycle (if rinsed after use).

FEATURES

- **APPLICATIONS**
- Hand pressurised sprayers can be used for smaller product quantities and a minimal investment
- Use a pneumatic pump for more regular use or larger structures

| ТҮРЕ | PART NO. |
|---------------------------|----------|
| Small Acid Resistant Pump | 851004 |
| Pump with Lance Set | 851007 |

Helps to treat stainless steel parts with cleaning, pickling and care products



KOMBI SPRAY LANCE & PARTS

Used in conjunction with larger acid-resistant pumps. All items are made from acid-resistant materials and spare parts are readily available ensuring the lance has a long life cycle (if rinsed after use).

FEATURES

- Acid resistant materials
- Various spare parts to ensure long product life

APPLICATIONS

Can be used with the following Wurex products: Pickling Sprays, Surface Cleaner, Passivating Liquid, Aluminium Pickling Liquid

а



| | ТҮРЕ | PART NO. | | ТҮРЕ | PART NO. |
|---|----------------------------------------------|----------|---|---------------------------------------------|----------|
| а | Acid Resistant Pump Lance | 851008 | е | Kombi Spray Pump Hose | 8512009 |
| b | Plunger w/2 Coils for Kombi spray lance | 8512004 | f | 90 Deg Spray nozzle for Kombi spray lance | 8512007 |
| С | Spring to suit Kombi spray lance | 8512003 | g | Valve cap with washer for Kombi spray lance | 8512002 |
| h | Screw can for Kombi spray lance adjust nozzl | 8512008 | | | |

w cap for Kombi spray lance adjust nozzle 8512008

WUREX NON SCRATCH FLEECE

Used in conjunction with the UC 42 universal cleaner, as it does not affect the passive oxide layer unlike other abrasives (e.g. scourers, steel wool, etc.)

FEATURES

Very fine abrasion

Long lasting if washed off

| ТҮРЕ | PART NO. |
|--------------------|----------|
| Non Scratch Fleece | 851005 |





SURFACE TREATMENT APPLICATION TOOLS

WUREX PICKLING BATH W/LID 610L

Made from acid resistant materials, the bath features easy accessibility for a pallet jack or fork lift. The matching lid limits evaporation of the contents.

FEATURES

- Acid resistant material
- Lid limits evaporation
- Easy to move around

APPLICATIONS

- The most efficient way of cleaning stainless steel items giving a uniform finish
- Especially suitable for smaller, continuous items

| ТҮРЕ | PART NO. |
|-----------------------------------|----------|
| Pickling Bath w/Lid 610L for PB15 | 851010 |



WUREX PICKLING BATH W/LID 300L


Made from acid resistant materials, the bath features easy accessibility for a pallet jack or fork lift. The matching lid limits evaporation of the contents.

FEATURES

- Acid resistant material
- Lid limits evaporation
- Easy to move around

APPLICATIONS

 The most efficient way of cleaning stainless steel items giving a uniform finish
Especially suitable for smaller,







WUREX PICKLING BATH CAGE

These cages are designed for use in a pickling bath. It is easier and more practical to lower an entire cage than fishing out individual items.

FEATURES

Made from acid resistant material

APPLICATIONS

Use in conjunction with a pickling bath

| ТҮРЕ | PART NO. |
|---------------------------------|----------|
| Pickling Bath Cage 70L for PB15 | 851012 |
| Pickling Bath Cage 83L for PB15 | 851013 |
| Acid Resistant Rope - 10m | 851014 |





NON DESTRUCTIVE TESTING PRODUCTS

SHERWIN DUBL-CHEK PENETRANT PROCESS

Three step process to check for flaws in weld. Step 1: Apply Penetrant DP-50 Step 2: Apply Cleaner/Remover DR-60 Step 3: Apply Developer D-100

| ТҮРЕ | PART NO. |
|-----------------------------|----------|
| Penetrant DP-50 400ml | 800090 |
| Cleaner/Remover DR-60 400ml | 800091 |
| Developer D-100 400ml | 800092 |



SHERWIN

SHERWIN DUBL-CHEK TWO STEP PROCESS

Two step process to check for flaws in weld. Step 1: Apply Mag Particle White Contrast CP-2 Step 2: Apply Mag Particle Black Oxide B0-1

| ТҮРЕ | PART NO. |
|-----------------------------------------|----------|
| Mag Particle White Contrast CP2-2 400ml | 800095 |
| Mag Particle Black Oxide BO-1 400ml | 800096 |



SHERWIN

WELDERS TOOLS

BOSSWELD ECONOMY SINGLE PURPOSE HI-LO GAUGE

Eliminates rejects, improves productivity. Measure internal misalignment. Measure rootweld space.

FEATURES

- Root weld space
- Eliminates rejects improves productivity
- Internal misalignment
- Comes in a protective case

TYPEPART NO.Eco Single Purpose Hi-Lo Gauge800110



WELDERS TOOLS

BOSSWELD HI-LO WELDING GAUGE

Measures internal alignment. Changes from standard to metric, simply remove gauge body, turn scales over and replace body. Measure internal misalignment. Measure fit-up gap. Measure bevel on end preparation. Measure the crown height of welds.

FEATURES

- Measure internal alignment after fit-up/ alignment, cuts radiographic rejects
- Measures internal misalignment of pipe before and after tracking
- Measurements read in standard on one side and metric on the opposite side

| ТҮРЕ | PART NO. |
|---------------------|----------|
| Hi-Lo Welding Gauge | 800111 |



BOSSWELD METRIC FILLET WELDING GAUGE

Quick and accurate measurement of fillet welds. Made from stainless steel, won't bend or rust. All numerals are etched, won't rub off. Measures 11 common weld sizes in metric. Easy size selections, locks with knurled finger nut. Use the single arc.

FEATURES

- Simple to use
- Measure fillet weld
- Measure weld throat thickness

| ТҮРЕ | PART NO. |
|-----------------------------|----------|
| Metric Fillet Welding Gauge | 800112 |



BOSSWELD BRIDGE CAM GAUGE

Simple to use all in one welding gauge for measuring undercut, excess material,fillets, weld size and height, preparation angle and misalignment. Made from stainless steel, won't bend or rust. All numerals are etched, won't rub off.

- Angle of preparation 0° to 60°
- Excess weld metal (capping size)
- Depth of undercut
- Fillet weld throat size
- Fillet weld length
- Misalignment (High-Low)
- Comes in a protective case

| ТҮРЕ | PART NO. |
|------------------|----------|
| Bridge Cam Gauge | 800113 |



WELDERS TOOLS

BOSSWELD 8 WAYS MIG WELDING PLIERS

Handy 8 function welders pliers. Functions include, nozzle removal, tip removal, cleaning inside of nozzle and wire cutting.

FEATURES

- High quality
- Manufactured from carbon steel
- Strong and comfortable handle for easy operation

| ТҮРЕ | PART NO. |
|--------------------------|----------|
| 8 Way MIG Welding Pliers | 800074 |

APPLICATIONS

Trimming MIG wire, nozzle removal, tip removal and installation, spatter removal from inside and outside a nozzle, bushing removal and installation, wire cutting and hammering.



BOSSWELD MAGNETIC HOLDER

Powerful, semi-permanent ferrite magnet holds iron and steel parts at angles of 45°, 90° and 135°. Increased productivity for welding, soldering, assembly, marking, installation and support.

FEATURES

and 135°

Magnetic Holder 100mm

TYPE

APPLICATIONS

- Increases productivity whilst working
- Welding Can be used at angles of 45°, 90° Soldering

PART NO.

800104

Manufacturing & assembly



AL **ICT**

BOSSWELD ENGINEERS CHALK

High quality soapstone engineers chalk used for marking steel in general engineering and boilermaking.

- 75mm long
- 10 x 5mm or 10 x 10mm
- Semi permanent marking of steel

| ТҮРЕ | PART NO. |
|--------------------------------------|----------|
| Engineers Chalk 75 x 10 x 10mm | 800020 |
| Engineers Split Chalk 75 x 10 x 5 mm | 800022 |



CLAMP & MAGNETS

STRONGHAND 2 AXIS WELDERS ANGLE CLAMP

The best, secure, right angle clamping vice. Made from machined cast iron. Machined outside faces - usable for upright joints. Stand-off increases access. Quick acting screw button, as seen on Shark Clamp. Standard and large sizes available.

FEATURES

- Quick acting screw button
- Stand-off increases access

| ТҮРЕ | PART NO. |
|------------------------------------------|----------|
| 2-Axis Welders Angle Clamp 120mm x 135mm | 88VS7522 |



STRONGHAND 4 IN 1 CLAMP

4 functions, 1 clamp. The most versatile slide arm clamp on the market. Available in 15cm, 18cm, 23cm, 28cm jaw openings. V pad for pipes & extender block included. Extender block allows for access in step-over applications. Removable, reversible arm.

FEATURES

- Extender block allows for access in step-over applications
- Available in 15cm, 18cm, 23cm, 28cm jaw openings

| ТҮРЕ | PART NO. | ТҮРЕ | PART NO. |
|----------------------------------|----------|-----------------------------------|----------|
| 4 in 1 Clamp 150mm x 90mm 210Kg | 88VS7101 | 4 in 1 Clamp 230mm x 120mm 550Kg | 88VS7103 |
| 4 in 1 Clamp 180mm x 120mm 450Kg | 88VS7102 | 4 in 1 Clamp 280mm x 140mm 1100Kg | 88VS7104 |



STRONGHAND ADJUST O MAGNET SQUARE

Heavy duty magnet square. The exclusive magnet with ON/OFF switch. Easy safe set up: Switch off, switch on. Simple clean, switch off then wipe away. Ideal for round and square tubing, angle & flat bar.

- On/Off switch
- Heavy duty
- Easy safe set up

| ТҮРЕ | PART NO. |
|-----------------------------------------|----------|
| Adjust-0 Magnet Square 95 x 110 x 30mm | 88VS7221 |
| Adjust-0 Magnet Square 130 x 150 x 35mm | 88VS7222 |





CLAMP & MAGNETS

STRONGHAND MULTI-ANGLE MAGNET

Added features. Quality construction. 30/60° edge, with the standard 45° and right angles. Large centre hole for easier handling. Two riveted holes for linking magnets together. Available in mini size.

FEATURES

- Large centre hole for easier handling
- Two riveted holes for linking magnets together
- 30/60° edge

| ТҮРЕ | PART NO. |
|-------------------------------------|----------|
| Multi-Angle Magnet 140 x 110 x 20mm | 88VS7241 |



STRONGHAND MINI MAGNETS

Mini multi-angled magnets. The handy, take-along magnets in a convenient 6-pack!. 30/60° edge, with the standard 45° and right angles. Large centre hole for easier handling. Two riveted holes for linking magnets together. Useful in light duty applications.

FEATURES

- Convenient 6 pack
- Large centre hole for easier handling
- Two riveted holes for linking magnets together

| ТҮРЕ | PART NO. |
|----------------------------------------------|----------|
| Mini Magnets Counter Display Box w/ 6 pieces | 88VS7252 |
| Mini Magnets 50 x 60 x 14mm Twin Pack | 88VS7253 |





CLAMPING PLIERS

STRONGHAND LOCKING C CLAMP PLIERS

Super strength!. For the professional and DIY handyman. Forged, rugged round tip pliers. The easiest to use. Deeper than normal throat for versatility. Made of high strength tread steel. Nickel/chrome plated body. Large riveted tilting pads.

FEATURES

- Deeper than normal throat
- Made from high strength tread steel
- Nickel/chrome plated body

TYPEPART NO.Locking C-Clamp Pliers 300 x 80 x 100mm88VS7422





CLAMPING PLIERS

STRONGHAND LOCKING V PAD PLIERS

All the Stronghand features! The new convenient way to weld pipe/tube. Available in two sizes. Made of high strength tread steel. Nickel/chrome plated body. V-pads tilt to pipe diameter. Stainless steel V-pads sold separately.

FEATURES

- Nickel/chrome plated body
- Made of high strength tread steel

| ТҮРЕ | PART NO. |
|-----------------------------------|----------|
| VS7401 Pliers with V-Pads 25-50mm | 88VS7441 |
| VS7402 Pliers with V-Pads 40-75mm | 88VS7442 |



ABRASADISC FLAP DISC

ABRASADISC SUPER THIN RAZOR DISCS

Abrasadisc Super Thin cutting discs are ideal for the cutting of stainless and mild steels. The 1.0mm disc thickness gives and clean precise cut while generating less heat and discolouration.

FEATURES

Long lasting

Ideal for stainless and mild steel

| ТҮРЕ | PART NO. |
|---------------------------------|----------|
| Razor 100 x 16 x 1.0mm Cut Disc | 825100 |
| Razor 115 x 22 x 1.0mm Cut Disc | 825115 |
| Razor 125 x 22 x 1.0mm Cut Disc | 825125 |



ABRASADISC FLAP DISCS

Abrasadisc Flap Discs are specially made from European made zirconium oxide abrasive cloth belt and cut to precise measurements in an ISO 9002 quality endorsed factory. The individual flaps are machine glued to a fibreglass backing ring for added flexibility.

- Steady finish without clogging
- Increased service life

| ТҮРЕ | PART NO. | ТҮРЕ | PART NO. |
|-----------------------------------|-----------|-----------------------------------|-----------|
| Flap-Disc 100mm/4 x Dia16mm x 40 | 82100Z40 | Flap Disc 115mm/4.5 x Dia22mmx 80 | 82115Z80 |
| Flap-Disc 100mm/4 x Dia16mm x 60 | 82100Z60 | Flap-Disc 115mm4.5 x Dia22mmx 120 | 82115Z120 |
| Flap-Disc 100mm/4 x Dia16mm x 80 | 82100Z80 | Flap-Disc 125mm/5 x Dia22mm x 40 | 82125Z40 |
| Flap-Disc 100mm/4 x Dia16mmx 120 | 82100Z120 | Flap-Disc 125mm/5 x Dia22mm x 60 | 82125Z60 |
| Flap-Disc 115mm/4.5 X Dia22mmx 40 | 82115Z40 | Flap-Disc 125mm/5 x Dia22mm x 80 | 82125Z80 |
| Flap-Disc 115mm/4.5 X Dia22mmx 60 | 82115Z60 | Flap-Disc 125mm/5 x Dia22mm x 120 | 82125Z120 |



